Honeywell

000000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

SECTION 1. IDENTIFICATION

Product name : Honeywell Titan® 7686, Honeywell Titan® 7709

Number : 00000013894

Product Use Description : Polymer for Asphalt Modification

Manufacturer or supplier's

details

Honeywell International Inc.

115 Tabor Road

Morris Plains, NJ 07950-2546

For more information call : 1-888 245-4738

+1-973-455-2145(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or +1-703-

527-3887

:

(24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : Wax like solid pellets or powder

Color : white

Odor : Wax like mild

Classification of the substance or mixture

Classification of the : Combustible dust

substance or mixture

GHS Label elements, including precautionary statements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : **Prevention**:

Page 1 / 12

Honeywell

000000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

Use personal protective equipment as required.

Hazards not otherwise

classified

: Product dust may be irritating to eyes, skin and respiratory

system.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
Oxidized Polyethylene	68441-17-8	100.00 %

SECTION 4. FIRST AID MEASURES

Inhalation : Remove to fresh air. Call a physician if irritation develops or

persists.

Skin contact : Wash off with soap and water. Call a physician if irritation

develops or persists. Cool skin rapidly with cold water after contact with molten material. Do not peel solidified product off

the skin. Call a physician immediately.

Eye contact : Rinse with plenty of water. Call a physician if irritation develops

or persists.

Ingestion : Unlikely route of exposure. If swallowed, rinse mouth with

water (only if the person is conscious). Never give anything by mouth to an unconscious person. Do NOT induce vomiting.

Consult a physician if necessary.

Notes to physician

Indication of immediate : Treat symptomatically.

Page 2 / 12

Honeywell

00000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

medical attention and special treatment needed, if necessary

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water mist Dry chemical

Carbon dioxide (CO2)

Foam

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: Avoid dust formation.

Airborne dusts of this product in an enclosed space and in the

presence of an ignition source may constitute an explosion

hazard.

Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of

dust, e.g. on floors and ledges.

Static charges on powders or powders in liquids may ignite

combustible atmospheres.

Watch footing on floors and stairs because of possible

spreading of molten material.

Material can create slippery conditions.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

Special protective equipment

for firefighters

: In the event of fire and/or explosion do not breathe fumes.

Wear self-contained breathing apparatus and protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment.

Evacuate personnel to safe areas.

Provide adequate ventilation.

May form explosive dust-air mixture.

Avoid dust formation.

Accumulations of dust from this product in the workplace may

Page 3 / 12

Honeywell

000000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

increase the likelihood or severity of an explosion.

Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of

dust, e.g. on floors and ledges.

Eliminate all ignition sources if safe to do so.

Do not swallow. Avoid breathing dust.

Avoid contact with skin, eyes and clothing.

Environmental precautions : Should not be released into the environment.

Prevent product from entering drains.

Methods and materials for containment and cleaning

containment and cleaning up

Avoid dust formation and electrical charging (sparking)

because dust explosion might occur.

Do not create a powder cloud by using a brush or compressed

air.

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Use only non-sparking tools.

For molten product:

If material is molten, allow to cool. Use caution, as material

may still be hot after solidification. Spilled material will solidify.

Allow to solidify. Scrape up.

Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Wear personal protective equipment.

Avoid dust formation.

Floors, walls and other surfaces must be regularly cleaned. The material can accumulate static charge and can therefore

cause electrical ignition.

Static charges on powders or powders in liquids may ignite

combustible atmospheres.

Take precautionary measures against static discharges.

Material can create slippery conditions.

Do not swallow. Avoid breathing dust.

Avoid contact with skin, eyes and clothing.

Advice on protection : All combustible solids have the potential to create a dust

Page 4 / 12

Honeywell

000000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

against fire and explosion explosion hazard. The likelihood of an explosion can be

dependent upon many factors, such as the explosive

characteristics of the material, the design of the facility, and the manner in which the material is handled. A more detailed discussion can be found in NFPA Bulletin 654, "Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible

Particulate Solids."

Storage

Conditions for safe storage.

including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Keep away from heat and sources of ignition.

Keep away from direct sunlight. Protect from physical damage. Do not store together with: Strong oxidizing agents

Amines

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Do not swallow. Avoid breathing dust.

Avoid contact with skin, eyes and clothing.

Engineering measures : Use adequate ventilation and/or engineering controls in high

temperature processing to prevent exposure to vapours.

Provide exhaust ventilation if dust is formed.

Use only in an area equipped with explosion proof exhaust

ventilation.

Electrical equipment should be protected to the appropriate

standard.

If formation of dust is observed, equipment has to be switched

off, cleaned and serviced.

Eye protection : Wear as appropriate:

Safety glasses with side-shields

For molten product:

Goggles or face shield, giving complete protection to eyes

Hand protection : When handling hot material, use heat resistant gloves.

Page 5 / 12

Honeywell

00000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

Skin and body protection : Wear heat protective clothing for handling hot material.

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

Use NIOSH approved respiratory protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

Remove and wash contaminated clothing before re-use.

Keep working clothes separately.

Exposure Guidelines

Components	CAS-No.	Value	Control	Upda	Basis
			parameters	te	
Particulates Not		TWA:	10 mg/m3	2008	ACGIH:US. ACGIH
Otherwise		Time			Threshold Limit
Regulated		weighted			Values
		average			
Further :	Form of exposure	Inhalable	particles.		
information					

Particulates Not			TWA:	3 mg/m3	2008	ACGIH:US. ACGIH
Otherwise		7	Time			Threshold Limit
Regulated		V	weighted			Values
		a	average			
Further :	: [Form of exposure : F	Respirable	particles.		
information		·	•	-		

Particulates Not Otherwise Regulated	t		PEL: Permissi ble exposure limit	15 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Further information	:	Form of exposure	: Total dust.			

Particulates Not		PEL:	5 mg/m3	02	OSHA_TRANS:US.
Otherwise		Permissi		2006	OSHA Table Z-1
Regulated		ble			Limits for Air
		exposure			Contaminants (29
		limit			CFR 1910.1000)
Further :	Form of exposure	: Respirable	e fraction.		
information	·	-			

Honeywell

sion 1.6	116	VISION Date	05/16/2019		Print Date 04/30
Particulates Not Otherwise Regulated		TWA : Time weighted average	15 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Further : information	Form of exposure				1
Particulates Not Otherwise Regulated		TWA: Time weighted average	5 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Further : information	Form of exposure		e fraction.	1	
Particulates Not Otherwise Regulated		TWA: Time weighted average	15 mg/m3	2000	Z3:US. OSHA Tab Z-3 (29 CFR 1910.1000)
Further : information	Form of exposure			1	
Particulates Not Otherwise Regulated		TWA: Time weighted average	5 mg/m3	2000	Z3:US. OSHA Tab Z-3 (29 CFR 1910.1000)
Further : information	Form of exposure		e fraction.		
Particulates Not Otherwise Regulated		TWA : Time weighted average	50 millions of particles per cubic foot of air	2000	Z3:US. OSHA Tab Z-3 (29 CFR 1910.1000)
Further : information	Form of exposure	: Total dust		1	
Particulates Not Otherwise Regulated		TWA : Time weighted average	15 millions of particles per cubic foot of air	2000	Z3:US. OSHA Tab Z-3 (29 CFR 1910.1000)

Honeywell

00000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Wax like solid pellets or powder

Color : white

Odor : Wax like mild

pH : Note: Not applicable

Melting point/range : 88 - 140 °C

Boiling point/boiling range : Note: not determined

Flash point : $> 491 \, ^{\circ}\text{F} (255 \, ^{\circ}\text{C})$

Method: closed cup

Lower explosion limit : Note: Not applicable

Upper explosion limit : Note: Not applicable

Vapor pressure : Note: Not applicable

Vapor density : Note: Not applicable, (Air = 1.0)

Density : 0.85 - 1.00 g/cm3

Water solubility : Note: negligible

Ignition temperature : Note: not determined

Decomposition temperature : Note: Stable under recommended storage conditions.

Page 8 / 12

Honeywell

000000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation and electrical charging (sparking)

because dust explosion might occur.

Avoid exposure to temperatures exceeding recommended processing conditions. Honeywell should be contacted if questions arise concerning specific processing conditions.

Incompatible materials : Strong oxidizing agents

Amines

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: > 2,500 mg/kg

Species: Rat

Acute inhalation toxicity : Note: no data available

Acute dermal toxicity : Note: no data available

Skin irritation : Note: no data available

Eye irritation : Note: no data available

Page 9 / 12

Honeywell

00000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

Sensitisation : Note: no data available

SECTION 12. ECOLOGICAL INFORMATION

Further information on ecology

Additional ecological

information

: No information on ecology is available.

Not inherently biodegradable.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

TDG Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances

Control Act

: On the inventory, or in compliance with the inventory

Australia. Industrial

Chemical (Notification and

Assessment) Act

: On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection

Act (CEPA). Domestic

: On the inventory, or in compliance with the inventory

Page 10 / 12

Honeywell

00000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

Substances List (DSL)

Japan. Kashin-Hou Law

List

: On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

NZIOC - New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : No SARA Hazards

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

SECTION 16. OTHER INFORMATION

Honeywell

000000013894

Version 1.6 Revision Date 05/16/2019 Print Date 04/30/2021

	HMIS III	NFPA
Health hazard	: 0	0
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 06/26/2014

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group